



PAKAWASTE

WASTE HANDLING SYSTEMS



Certificate number: 12818
ISO 9001 : 2008
ISO 14001 : 2004
BS OHSAS 18001 : 2007

*All PAKAWASTE Equipment conforms to the EC machine safety directive
(2006/42/EC previously 98/37/EC & amendments)*

HORIZONTAL BALERS

POWERKUBE XXL



The **Powerkubexxxl** is the largest baler in the range, with an overall length of 7852mm and a feed opening of 2100mm long x 1490mm wide. It also produces mill sized bales, but its extended loading aperture allows large items of waste and bulky cardboard boxes to be baled effectively giving up to 2000 kg per hour throughput. One of a range of materials handling options such as bin tippers or conveyors can be fitted to facilitate easy loading of the waste. Once the bale is made, the user is alerted by a 'full bale' light and tying the bale only takes a few minutes. The completed bale can then be taken away by a waste processor, often in exchange for revenue.

CYCLE TIME	: 78 seconds
MAXIMUM BALE WEIGHT	: 1143x1490x762 mm
BALE WEIGHT	: Cardboard 600 kg / Plastics 450 kg (dependant on density)

TECHNICAL SPECIFICATION

SINGLE CYLINDER

Length	7852 mm
Height (to the top of the machine frame)	1187 mm
Width	2180 mm Nominal
Motor	15 kw (20 hp)
Cylinder bore	200 mm
System pressure PSI / Bar	158 Bar (2300 psi)
Ram force	50.8 tonnes (49.9 tons)
Cycle time	78 seconds
Loading aperture (L x W)	2100 x 1490 mm
Maximum bale size (L x W x H)	1143 x 1490 x 762 mm
Power supply rating (415v 3 phase)	63 amp, 3 phase + neutral, motor rated
Shipping weight	10.26 tonnes
Bale weight (dependant on material being baled)	Upto 600 kg (1430 lbs)

PAKAWASTE LIMITED

For further information and technical data, contact our sales staff at:

Rough Hey Road - Preston PR2 5AR . TEL +44 (0)1772 796688 . FAX +44 (0)1772 792474

Pakawaste Ltd. reserves the right to make alterations to equipment design and specifications without prior notice.



PK1090 ISSUE D

Photographs for illustration purposes only.
Model shown with bespoke large hopper.